

Urticaria: A Clinical Guide to Presentation, Individualization and Differential Materia Medica

Dr. Niva Goti¹, Dr. Rajesh Sanja MD (Hom)²

¹PG Scholar, Department of Homeopathic Materia Medica,

²HOD and Professor, Department of Homeopathic Materia Medica,

^{1,2}Rajkot Homeopathic Medical College, Rajkot, Gujarat, India

ABSTRACT

Urticaria is a frequently encountered skin disorder in which transient wheals appear with or without angioedema. The clinical picture can change rapidly, making careful characterization of the lesions, duration, associated symptoms and provoking circumstances important. This article provides a concise clinical framework for recognizing acute and chronic patterns, documenting important features and considering physical and other triggers. It also presents a traditional homeopathic differential materia-medica table covering 24 medicines described in relation to urticarial, allergic or closely related skin manifestations. The table emphasizes the characteristic eruption and important modalities or associated features rather than ranking medicines. The material is intended for academic materia-medica study; traditional descriptions should be distinguished from contemporary evidence on clinical efficacy and from standard emergency management of angioedema and anaphylaxis.

KEYWORDS: *Urticaria, wheals, hives, angioedema, homeopathy, materia medica, differential diagnosis, clinical features.*

How to cite this paper: Dr. Niva Goti | Dr. Rajesh Sanja "Urticaria: A Clinical Guide to Presentation, Individualization and Differential Materia Medica" Published in International Journal of Trend in Scientific Research and Development (ijtsrd), ISSN: 2456-6470, Volume-10 | Issue-5, October 2026, pp.851-853, URL: www.ijtsrd.com/papers/ijtsrd142162.pdf



Copyright © 2026 by author (s) and International Journal of Trend in Scientific Research and Development Journal. This is an Open Access article distributed under the terms of the Creative Commons Attribution License (CC BY 4.0) (<http://creativecommons.org/licenses/by/4.0>)



1. INTRODUCTION

Urticaria is characterized by the sudden development of wheals, usually associated with pruritus and sometimes burning or stinging. A wheal is a superficial, transient swelling that may have a pale centre with an erythematous margin or may be diffusely red. Lesions may be small and circumscribed or large, annular, serpiginous, geographic or confluent. Individual wheals generally disappear within 24 hours without scarring.

From a clinical perspective, recognizing the time course and circumstances surrounding attacks is important. Acute urticaria lasts up to 6 weeks, while chronic urticaria persists for more than 6 weeks. Chronic disease may be spontaneous or inducible, with reproducible episodes following stimuli such as cold, heat, pressure, friction, sunlight, exercise, sweating or water.

2. CLINICAL PRESENTATION AND CLASSIFICATION

The eruption commonly begins with itching, warmth or an abnormal skin sensation followed by raised areas of variable size and shape. Patients may describe itching, burning, stinging, pricking, smarting, tingling or crawling. Scratching may temporarily relieve the sensation or increase irritation. The lesions can occur on the face, scalp, trunk, limbs, palms, soles or genital region and may become generalized.

Acute urticaria may develop suddenly following foods, medicines, infections, insect exposure or other triggers. Chronic spontaneous urticaria has no consistent identifiable external stimulus, whereas chronic inducible urticaria is reproducibly provoked by a physical stimulus. Different forms can coexist, so the history should be individualized.

3. ANGIOEDEMA AND IMPORTANT HISTORY

Angioedema involves deeper dermal and subcutaneous or submucosal tissues. It commonly affects the lips, eyelids, face, tongue, hands, feet or genital region. Tightness, pressure, soreness or pain may be more prominent than itching. Tongue or throat swelling can compromise the airway. Difficulty breathing, throat tightness, voice change, collapse or severe dizziness requires immediate emergency medical attention.

History should include the duration of the illness and individual lesions, foods and new medicines, recent infection, insect bites, heat or cold exposure, pressure, friction, sunlight, exercise, sweating and bathing. Associated fever, joint symptoms, abdominal complaints, respiratory or nasal allergy, ocular symptoms, menstrual association, headache and

fatigue should be documented. A symptom diary may help identify recurrent triggers.

4. INDIVIDUALIZATION IN HOMEOPATHIC CASE STUDY

In traditional homeopathic practice, the disease name alone is not considered sufficient for remedy selection. The case is studied through the characteristic expression of the complaint: location, appearance, sensation, causative circumstances, modalities and concomitants, together with relevant general and constitutional features.

Particular attention may be given to whether the eruption is pale, red, swollen, circumscribed or confluent; whether itching, burning, stinging or soreness predominates; and whether symptoms change with heat, cold, scratching, touch, movement, rest, bathing, weather, food, exercise or perspiration. The following table provides a compact differential reference from traditional homeopathic literature.

5. DIFFERENTIAL MATERIA MEDICA

Medicine	Characteristic urticarial picture	Important modalities / associated features
Apis mellifica	Sudden oedematous wheals; burning, stinging, soreness; marked swelling.	Worse heat; better cold applications.
Urtica urens	Nettle-like wheals with intense itching, burning and stinging.	Sudden onset; characteristic nettle-rash sensation.
Dulcamara	Urticaria after cold damp exposure or getting wet.	Worse cold, damp; change of weather.
Rhus toxicodendron	Itching/burning, erythematous or vesicular eruptions.	Worse damp/getting wet; better movement and warmth.
Sulphur	Intense itching and burning with heat of skin.	Worse warmth, especially bed heat.
Natrum muriaticum	Chronic/recurrent urticaria with constitutional features.	Individualized by general and emotional symptoms.
Arsenicum album	Burning, itching, anxiety and marked restlessness.	Burning better warmth; restlessness prominent.
Histaminum	Allergic hypersensitivity with wheals and itching.	Consider when allergic character predominates.
Astacus fluviatilis	Red, congested, intensely itching skin eruptions.	Marked redness and irritation.
Bovista	Allergic/urticarial eruptions in a characteristic constitutional picture.	May relate to hormonal/menstrual changes.
Antimonium crudum	Skin eruptions with digestive disturbance.	Dietary indiscretion; characteristic digestive picture.
Nux vomica	Urticaria with digestive upset or drug/dietary excess.	Irritability and hypersensitivity.
Pulsatilla	Changeable eruptions with digestive disturbance.	Rich/fatty food; characteristic constitutional picture.
Sepia	Recurrent eruption with hormonal/menstrual association.	Characteristic pelvic/constitutional symptoms.
Lycopodium	Recurrent urticaria with bloating and digestive symptoms.	Flatulence, food intolerance.
Graphites	Chronic skin eruption with eczema/oozing tendency.	Skin folds; sticky discharge.

Mezereum	Itching/burning with vesicular or crusted eruption.	More useful in broader chronic skin picture.
Cantharis	Marked burning and inflammatory skin symptoms.	Vesicular/inflammatory features.
Croton tiglium	Intense itching/burning with vesicles.	Very sensitive to touch.
Cistus canadensis	Persistent itching and allergic skin symptoms.	Chronic allergic tendency.
Sarsaparilla	Itching and burning in chronic skin complaints.	General and local totality.
Aconitum napellus	Very sudden acute allergic state with fear/anxiety.	Abrupt onset; characteristic mental state.
Belladonna	Bright-red, hot, congested sudden eruption.	Heat, redness, sensitivity, throbbing.
Natrum sulphuricum	Recurrent complaints associated with damp weather/climatic changes.	Broader constitutional picture.

6. GENERAL MANAGEMENT AND PRECAUTIONS

Clinical management should include identification of reproducible triggers and appropriate classification. Broad dietary restriction without a reproducible association should be avoided. Contemporary guidelines use non-sedating second-generation H1 antihistamines as standard treatment for many patients, with escalation under medical supervision when symptoms remain uncontrolled. Traditional homeopathic descriptions should not replace evidence-based care or emergency treatment.

Patients with significant tongue or throat swelling, breathing difficulty, voice change, fainting, severe dizziness or other features of anaphylaxis require urgent emergency care.

7. CONCLUSION

Urticaria has a variable clinical expression and requires attention to the duration, morphology, sensations, associated angioedema and provoking circumstances. A structured history helps distinguish spontaneous and inducible patterns and supports individualized clinical assessment. Traditional homeopathic materia medica contains numerous descriptive remedy pictures, summarized in the table for academic differential study. These descriptions should be interpreted as historical materia-medica information rather than proof of comparative treatment efficacy.

REFERENCES

- [1] Zuberbier T, Abdul Latiff AH, Abuzakouk M, et al. The international EAACI/GA²LEN/EuroGuiDerm/APAAACI guideline for the definition, classification, diagnosis, and management of urticaria. *Allergy*. 2022;77(3):734-766.
- [2] Zuberbier T, Aberer W, Asero R, et al. The EAACI/GA²LEN/EDF/WAO guideline for the definition, classification, diagnosis and management of urticaria. *Allergy*. 2018;73(7):1393-1414.
- [3] Boericke W. Pocket Manual of Homoeopathic Materia Medica. New Delhi: B Jain Publishers.
- [4] Kent JT. Lectures on Homoeopathic Materia Medica. New Delhi: B Jain Publishers.
- [5] Allen TF. The Encyclopedia of Pure Materia Medica. New Delhi: B Jain Publishers.
- [6] Hering C. The Guiding Symptoms of Our Materia Medica. Philadelphia: American Homoeopathic Publishing Society.
- [7] Clarke JH. A Dictionary of Practical Materia Medica. London: Homoeopathic Publishing Company.
- [8] Nash EB. Leaders in Homeopathic Therapeutics. New Delhi: B Jain Publishers.
- [9] Boger CM. A Synoptic Key of the Materia Medica. New Delhi: B Jain Publishers.
- [10] Phatak SR. Concise Materia Medica of Homoeopathic Medicines. Mumbai: B Jain Publishers.
- [11] Murphy R. Lotus Materia Medica. 3rd ed. Boca Raton: Lotus Health Institute.