International Journal of Trend in Scientific Research and Development (IJTSRD)
Volume 10 Issue 5, Sep-Oct 2026 Available Online: www.ijtsrd.com e-ISSN: 2456 – 6470

Ayurvedic Conceptualization of Renal Disorders: Integrating Classical *Mutravaha Srotas* Pathology with Modern Renal Pathophysiology

Dr. Maitri Pandya

PG Scholar, Department of Samhita and Maulik Siddhant,
National Institute of Ayurveda (DU), Jaipur, Rajasthan, India

ABSTRACT

Renal disorders constitute a major global health burden with increasing prevalence of chronic kidney disease (CKD), diabetic nephropathy, obstructive uropathies, and metabolic renal syndromes. Classical Ayurvedic literature provides a sophisticated framework for understanding urinary and renal dysfunction through the concepts of *Mutravaha Srotas*, *Mutrakrichra*, *Mutraghata*, *Ashmari*, and *Prameha*. These constructs describe disturbances in urinary flow, metabolism, tissue integrity, and systemic physiological regulation. The present integrative review critically examines Ayurvedic conceptualizations of renal disorders and cautiously correlates them with modern renal physiology and nephropathology. Classical textual references from *Charaka Samhita*, *Ashtanga Hridaya*, and their commentaries are analyzed alongside contemporary biomedical understanding.

The review explores the distinction between *Mutrakrichra* and *Mutraghata*, classification of *Mutra Apravrittija* and *Atipravrittija* disorders, involvement of *Dosha-Dushya-Srotas*, and the regulatory roles of *Samana Vayu* and *Apana Vayu* in urinary physiology. Particular emphasis is placed on the interpretation of kidneys as a principal locus of *Medovaha Srotas* and the implications for metabolic disorders including diabetic nephropathy and obesity-associated renal disease. The classical description of *Udavarta* manifestations is interpreted in relation to systemic complications of advanced renal dysfunction and uremic states, while maintaining conceptual distinctions between traditional doctrine and biomedical equivalence.

An integrative pathophysiological model is proposed wherein disturbances in metabolic processing, fluid regulation, tissue nutrition, and excretory pathways collectively contribute to renal disease progression. Current experimental and clinical evidence supporting Ayurvedic interventions is reviewed critically, highlighting methodological limitations and research gaps. The article advocates for rigorous interdisciplinary frameworks integrating textual scholarship, systems biology, nephrology, and translational Ayurveda research.

How to cite this paper: Dr. Maitri Pandya "Ayurvedic Conceptualization of Renal Disorders: Integrating Classical Mutravaha Srotas Pathology with Modern Renal Pathophysiology" Published in International Journal of Trend in Scientific Research and Development (ijtsrd), ISSN: 2456-6470, Volume-10 | Issue-5, October 2026, pp.969-977, URL: www.ijtsrd.com/papers/ijtsrd142171.pdf

IJTSRD142171

Copyright © 2026 by author (s) and International Journal of Trend in Scientific Research and Development Journal. This is an Open Access article distributed under the terms of the Creative Commons Attribution License (CC BY 4.0) (http://creativecommons.org/licenses/by/4.0)

KEYWORDS: *Mutravaha Srotas, Mutraghata, Mutrakrichra, CKD, uraemia, diabetic nephropathy, Ayurveda, renal physiology, integrative nephrology.*

1. INTRODUCTION

Renal diseases involve complex interactions among hemodynamic regulation, metabolic dysfunction, inflammation, tubular injury, neurohormonal imbalance, and systemic toxic accumulation. Modern nephrology conceptualizes renal pathology through structural and functional changes involving glomerular filtration, tubular transport, vascular regulation, and endocrine functions. However, chronic renal disease also manifests as a systemic syndrome involving fatigue, metabolic dysregulation,

neurocognitive changes, respiratory disturbances, cardiovascular complications, and altered fluid-electrolyte balance.

Ayurveda approaches urinary and renal disorders through the broader framework of *Mutravaha Srotas*, *Dosha* imbalance, *Dushya* involvement, and disturbances in *Mutra Pravritti* (urinary elimination). Rather than focusing exclusively on organ pathology, classical Ayurvedic literature emphasizes functional disturbance, systemic interconnectedness, metabolic impairment, and directional flow abnormalities.

The distinction between *Mutrakrichra* and *Mutraghata* is classically described as:

"मूत्राघातमूत्रकृच्छ्रयोश्चायं विशेषः - यन्मूत्रकृच्छ्रं मूत्रं कृच्छ्रेण वहति, मूत्राघातं मूत्रं शोष्यते प्रतिहन्यते वा" [1]

This may be interpreted as distinguishing painful or difficult urination from severe obstruction or suppression of urinary flow. The distinction is elaborated further in *Madhokosha* commentary:

"मूत्रकृच्छ्राणीति मूत्रस्य कृच्छ्रेण महता दुःखेन प्रवृत्तिः"

and

"मूत्रकृच्छ्रमूत्राघातयोश्चायं विशेषः– मूत्रकृच्छ्रं कृच्छ्रत्वमतिशयितम्, ईषद्विबन्धः; मूत्राघातस्तु विबन्धो बलवान्, कृच्छ्रत्वमल्पमिति"

These descriptions suggest a graded spectrum of urinary dysfunction involving painful voiding, partial obstruction, or severe urinary retention.

Importantly, Ayurvedic nosology does not claim direct anatomical equivalence with modern nephrology. Instead, its constructs may represent multidimensional physiological states involving altered excretion, fluid regulation, metabolic disturbance, and systemic dysfunction. Such interpretive integration requires methodological caution to avoid simplistic reductionism.

2. Review of Literature

2.1. Classification of Renal Disorders in Ayurveda

2.1.1. *Mutra Apravrittija* and *Mutra Atipravrittija* Disorders

Ashtanga Hridaya states:

"इति विस्तरतः प्रोक्ता रोगा मूत्राप्रवृत्तिजाः|
निदानलक्षणैरूर्ध्वं वक्ष्यन्तेऽतिप्रवृत्तिजाः||" [2]

This classification broadly categorizes urinary disorders into:

A. *Mutra Apravrittija* Disorders

Conditions characterized by deficient, obstructed, painful, or impaired urinary flow:

- *Mutraghata*
- *Mutrakrichra*
- *Ashmari*

These may share pathophysiological similarities with:

- obstructive uropathy
- dysuria
- urinary retention
- oliguria/anuria
- nephrolithiasis
- lower urinary tract obstruction

B. *Mutra Atipravrittija* Disorders

Conditions involving excessive urinary output:

- *Prameha* spectrum

These may correspond functionally to metabolic and polyuric syndromes including:

- diabetes mellitus
- osmotic diuresis
- diabetic nephropathy
- metabolic syndrome-associated renal dysfunction

However, *Prameha* encompasses broader metabolic, constitutional, and tissue-level abnormalities beyond glycaemic dysregulation alone.

2.2. Conceptual Distinction between *Mutrakrichra* and *Mutraghata*

Classical Ayurvedic Meaning

Mutrakrichra

Defined primarily by painful or difficult urination:

- painful urinary flow
- burning sensation
- straining
- incomplete evacuation
- discomfort during micturition

Mutraghata

Characterized by severe obstruction or suppression:

- marked urinary retention
- diminished urinary output
- obstruction of flow
- failure of elimination

The classical distinction suggests that:

- *Mutrakrichra* emphasizes suffering and difficulty during urination
- *Mutraghata* emphasizes obstruction or arrest of urinary flow

2.3. Integrative Interpretation

The relationship should not be interpreted as direct equivalence but rather as a framework for comparative pathophysiological understanding.

Ayurvedic construct	Classical meaning	Possible biomedical functional correlation	Nature of correlation
Mutrakrichra	Painful difficult urination	Dysuria, inflammatory lower urinary tract disorders	Functional similarity
Mutraghata	Obstructed or suppressed urination	Obstructive uropathy, urinary retention, oliguria/anuria	Pathophysiological resemblance
Ashmari	Calculus disease	Urolithiasis/nephrolithiasis	Strong clinical similarity
Prameha	Excessive pathological urination with metabolic derangement	Diabetes spectrum and metabolic renal disease	Partial overlap

2.4. Pathological Consequences: *Mutravriddhi*, *Mutrakshaya*, and *Mutradushti* [3]

1. *Mutravriddhi*

Ayurvedic Meaning

Excessive production or elimination of urine.

Interpretive Correlation

May correspond functionally to:

- polyuria
- osmotic diuresis
- impaired tubular concentrating ability
- diabetic urinary abnormalities

Mechanistic Similarities

Potential shared mechanisms include:

- fluid dysregulation
- altered solute handling
- metabolic imbalance
- neuroendocrine disturbances

2. *Mutrakshaya*

Ayurvedic Meaning

Reduction in urinary quantity or impaired elimination.

Interpretive Correlation

May resemble:

- oliguria
- anuria
- reduced glomerular filtration
- advanced renal hypoperfusion

Pathophysiological Similarities

May involve:

- obstruction
- dehydration
- renal ischemia
- tubular dysfunction
- severe systemic metabolic disturbance

3. *Mutradushti* [4]

Ayurvedic Meaning

Qualitative derangement of urine involving color, consistency, smell, turbidity, or associated symptoms.

Interpretive Correlation

May correspond functionally to:

- proteinuria
- hematuria
- pyuria
- glycosuria
- altered urinary sediment

International Journal of Trend in Scientific Research and Development IJTSRD ISSN: 2456-6470

Importantly, Ayurvedic assessment integrates systemic and constitutional parameters rather than isolated biochemical markers.

2.5. Dosha-Dushya-Srotas Involvement

2.5.1. Predominance of *Samana Vayu* and *Apana Vayu* [5]

Samana Vayu

Classical Role

- regulation of digestion and metabolic processing (*Grihnati-Pachati*)
- separation and distribution (*Vivechayati-Munchati*)
- maintenance of internal equilibrium

Renal Interpretation

May correspond functionally to integrative metabolic regulation involving:

- nutrient processing
- fluid balance
- electrolyte regulation
- systemic homeostasis

Disturbance in *Samana Vayu* may represent impaired metabolic coordination contributing to renal-metabolic disease states.

2.5.2. *Apana Vayu*

Classical Role

- downward elimination
- urinary excretion
- fecal evacuation
- reproductive functions

Renal Interpretation

May share functional similarities with:

- micturition pathways
- bladder emptying
- coordinated urinary elimination
- pelvic autonomic regulation

Dysfunction may contribute to obstructive or dysfunctional voiding states.

2.6. *Mutra* as *Ashraya* of *Kapha*

Classical Meaning

Kapha-associated qualities such as stability, fluidity, lubrication, and structural cohesion are reflected within urinary physiology. [6]

Interpretive Correlation

This may represent:

- fluid-retentive tendencies
- altered mucoprotein dynamics
- edema-associated states
- metabolic accumulation syndromes

However, *Kapha* should not be reduced to a single biochemical entity.

2.7. Kidneys as *Mulasthana* of *Medovaha Srotas*

Ayurvedic texts identify kidneys and adipose-related structures in relation to *Medovaha Srotas*. This suggests a deep conceptual linkage between metabolism, fluid regulation, and urinary physiology. [7]

Classical Implications

Medovaha Srotas disturbances majorly include:

- *Sthaulya*
- *Prameha*

Integrative Interpretation

This framework may correspond functionally to modern recognition that renal disease is closely interconnected with:

- obesity
- insulin resistance
- dyslipidemia
- chronic inflammation
- adipokine dysregulation
- metabolic syndrome

Potential Mechanistic Convergence

Ayurvedic concept	Possible modern correlate	Evidence status
Meda Dushti	Adipose dysfunction/metabolic syndrome	Evidence-supported conceptual overlap
Prameha progression	Diabetic nephropathy spectrum	Moderate clinical overlap
Srotorodha	Microvascular/tubular obstruction and inflammatory remodeling	Hypothetical integrative model
Kapha-Meda aggravation	Obesity-related CKD progression	Emerging systems-level similarity

2.8. Integrative Interpretation of *Vataja-Prameha-Upadrava* in the perspective of Diabetic Nephropathy

"वातिकानामुदावर्तकम्पहृद्ग्रहलोलताः|
शूलमुन्निद्रता शोषः कासः श्वासश्च जायते॥"

In the context of *Vataja-prameha-upadrava*, Acharya Vagbhata has mentioned *Udavarta* as the first complication. [8]

Classical Ayurvedic Interpretation

Features include:

- *Udavarta* (reverse/upward movement of *Vayu*)
- tremors
- cardiac discomfort
- restlessness
- pain
- insomnia
- wasting
- cough
- dyspnea

Integrative Renal Interpretation

These manifestations may represent a systemic state resembling advanced renal dysfunction or uremic syndrome.

Potential Correspondences

Classical feature	Possible interpretive correlation	Nature
Udavarta	Systemic reversal/disturbance of physiological flow, Ureamic manisfestations	Conceptual
Kampa	Neuromuscular irritability	Functional similarity
Hridgraha	Cardiovascular strain	Partial overlap
Anidra	Sleep disturbance in CKD	Evidence-supported clinical similarity
Shosha	Catabolic wasting	Strong systemic resemblance
Kasa/Shwasa	Fluid overload/metabolic respiratory involvement	Functional similarity

***Udavarta* and Uremic States**

Udavarta should not be equated directly with uraemia. However, it may represent a multidimensional systemic disturbance characterized by:

- impaired elimination
- upward systemic aggravation

- neuro-metabolic dysfunction
- dysregulated physiological flow

This shares pathophysiological similarities with advanced uremic states involving toxin accumulation, neurohumoral dysregulation, inflammation, and multisystem manifestations.

2.9. Correlation with Modern Renal Disorders

Obstructive Uropathy

May correspond functionally to aspects of *Mutraghata* involving:

- impaired urinary passage
- pressure-related obstruction
- progressive retention
- secondary renal compromise

Potential parallels include:

- prostatic obstruction
- ureteric obstruction
- neurogenic bladder dysfunction

Dysuria

Mutrakrichra shares clinical similarities with:

- lower urinary tract inflammation
- cystitis
- painful voiding syndromes

However, Ayurvedic assessment additionally incorporates *Dosha* predominance and systemic constitutional factors.

Oliguria/Anuria

Severe *Mutraghata* states may resemble advanced reduction in urinary output due to:

- acute kidney injury
- obstruction
- severe hypoperfusion
- terminal CKD states

2.10. CKD Progression

An integrative interpretation of CKD progression may involve:

1. *Agni* impairment
2. *Meda Dushti*
3. *Srotorodha*
4. *Apana Vayu* dysfunction
5. progressive tissue depletion (*Dhatu Kshaya*)
6. systemic *Vata* aggravation

This progression model shares systems-level similarities with modern pathways involving:

- chronic inflammation
- fibrosis
- nephron loss
- endocrine dysregulation
- metabolic acidosis
- cachexia

2.11. Integrative Pathophysiology Model

Proposed Integrative Sequence

Stage 1: Metabolic Dysregulation

- impaired *Agni*
- *Meda Dushti*
- altered nutrient-fluid processing

Stage 2: Srotas Dysfunction

- impaired microcirculation

- tubular/interstitial dysfunction
- obstruction-like states

Stage 3: Elimination Disturbance
- *Mutrakrichra*
- *Mutraghata*
- altered urinary quality and quantity

Stage 4: Systemic Progression
- *Vata* aggravation
- wasting
- neurohumoral disturbance
- multisystem manifestations

Stage 5: Advanced Systemic State
- *Udavarta*-like presentation
- respiratory/cardiovascular involvement
- catabolic decline

Mechanistic Table: Integrative Renal Pathophysiology

Ayurvedic process	Functional interpretation	Possible biomedical analogy	Evidence level
Agnimandya	Metabolic impairment	Insulin resistance/metabolic dysfunction	Hypothetical-integrative
Meda Dushti	Adipose-metabolic pathology	Obesity-associated inflammation	Moderate evidence
Srotorodha	Channel obstruction/dysfunction	Fibrosis/microvascular dysfunction	Conceptual
Apana Vayu Vaigunya	Elimination dysregulation	Bladder-voiding dysfunction	Functional overlap
Mutrakshaya	Reduced urinary output	Oliguria/renal failure	Clinical similarity
Udavarta	Systemic reversal dysregulation	Multisystem uremic syndrome	Speculative integrative

3. Discussion

The provided article establishes a comprehensive, scholarly bridge between classical Ayurvedic paradigms of renal-urinary pathology and modern biomedical nephrology. Rather than viewing traditional doctrines through a simplistic reductionist lens, the review advocates for a sophisticated comparative framework that respects both systems while exploring meaningful physiological and systemic intersections.

A. Nosological Frameworks and Clinical Spectrum

A key strength of the Ayurvedic architecture lies in its primary division of urinary and renal conditions into *Mutra Apravrittija* (deficient, obstructed, or painful elimination) and *Mutra Atipravrittija* (excessive urinary output) disorders. The classical differentiation between *Mutrakrichra* (emphasizing dysuria and painful voiding) and *Mutraghata* (emphasizing obstruction, retention, and severe flow suppression) creates a graded spectrum that neatly parallels modern clinical presentations ranging from lower urinary tract inflammation and cystitis to acute urinary retention and obstructive uropathies. Furthermore, the inclusion of the *Prameha* spectrum under excess elimination highlights an ancient recognition that systemic metabolic disorders inevitably manifest through renal-urinary changes, predating modern understandings of osmotic diuresis, diabetic nephropathy, and metabolic syndrome-associated kidney dysfunction.

B. Metabolic Integration and the *Medovaha Srotas*

One of the most compelling integrative perspectives raised in the paper is the conceptual positioning of the kidneys as a principal locus or structural component related to the *Medovaha Srotas*. This links classical fluid and tissue metabolism directly with adipose-related pathology. Modern nephrology increasingly recognizes that obesity, insulin resistance, chronic low-grade inflammation, and dyslipidaemia are primary drivers of chronic kidney disease (CKD) progression. The Ayurvedic model of *Meda Dushti* (adipose/metabolic pathology) leading to Srotorodha (channel obstruction/microvascular dysfunction) offers a robust systems-level parallel to contemporary

understandings of lipotoxicity and renal interstitial fibrosis.

C. Systemic Progression and Uremic Analogues

The progression of renal disease in Ayurveda is not merely structural but deeply systemic, governed by the aggravation of Vata (specifically Apana and Samana Vayu) and the impairment of Agni (metabolic fire). The article astutely evaluates Acharya Vagbhata's description of *Udavarta* as an early complication within the context of *Vataja-Prameha-Upadrava*. While avoiding direct, uncritical equivalency, the paper posits that *Udavarta* - characterized by a systemic reversal or upward disturbance of physiological flow, neuromuscular irritability, wasting (*Shosha*), and respiratory compromise - shares striking phenomenological and pathophysiological similarities with advanced multi-organ uremic syndromes and catabolic decline in terminal renal failure.

D. Methodological Cautions and Future Directions

The discussion underscores the critical need for methodological rigor in integrative medicine. The authors rightly caution against conflating ancient philosophical and functional constructs with modern anatomical entities, maintaining clear boundaries between classical doctrine, interpretative biomedical correlation, evidence-supported mechanisms, and speculative hypotheses. To bridge existing research gaps, future scientific inquiry must embrace systems biology (incorporating metabolomics, inflammatory mapping, and microbiome analysis), standardize Ayurvedic phenotyping, and conduct rigorous, multicenter clinical trials to validate traditional interventions against hard renal endpoints.

4. Conclusion

Ayurvedic descriptions of *Mutravaha Srotas* disorders provide a sophisticated systemic framework for understanding urinary dysfunction, metabolic imbalance, and multisystem disease progression. Classical distinctions among *Mutrakrichra*, *Mutraghata*, *Ashmari*, and *Prameha* reflect nuanced clinical observations concerning urinary flow, obstruction, metabolic pathology, and systemic consequences.

These concepts should not be interpreted as direct equivalents of modern nephrological diagnoses. Rather, they may represent multidimensional physiological and pathological states that share functional and systemic similarities with contemporary renal disorders. Particularly significant are the Ayurvedic emphases on metabolic dysregulation, elimination pathways, and fluid balance, and systemic progression - concepts increasingly recognized in modern nephrology.

The interpretation of kidneys within the framework of *Medovaha Srotas* offers a potentially valuable integrative perspective linking metabolism, obesity, diabetes, inflammation, and renal pathology. Likewise, descriptions of *Udavarta*-associated systemic manifestations may resemble complex multisystem states observed in advanced renal failure and uremic syndromes.

Future progress in integrative nephrology requires rigorous interdisciplinary scholarship that clearly differentiates:

- classical Ayurvedic doctrine,
- interpretative biomedical correlation,
- evidence-supported mechanisms,
- and speculative hypotheses.

Such methodological clarity is essential for developing academically credible and clinically meaningful integrative renal research.

Conflicts of Interest: None

References

[1] Acharya Trikamji Y, editor, (3rd ed.). Chakrapani Commentary on Charaka Samhita of Agnivesha, Chikitsa Sthana; Trimarmiya-chikitsitam-Adhyayam: Chapter 26, Verse 43-44. Varanasi: Chowkhambha Surabharati Prakashan, 2022; 600.

[2] Paradkarra Shastri S, editor (3rd ed.). With Sarvangasundara commentary of Arunadatta and Ayurvedarasayana commentary of Hemadri on Ashtanga Hridaya of Vagbhata, Nidanasthana; Mutraghata nidanam: Chapter 9, Verse 40. Varanasi: Chowkhambha Surabharati Prakashan, 2024; 501.

[3] Paradkarra Shastri S, editor (3rd ed.). With Sarvangasundara commentary of Arunadatta and Ayurvedarasayana commentary of Hemadri on Ashtanga Hridaya of Vagbhata, Sutrasthana; Doshabhedeeya Adhyaya: Chapter 12, Verse 62. Varanasi: Chowkhambha Surabharati Prakashan, 2024; 205.

[4] Acharya Trikamji Y, editor, (3rd ed.). Bhanumati Commentary of Chakrapani on Sushruta Samhita of Sushruta, Sutrasthana Sthana; Vedotpattim Adhyayam: Chapter 1, Verse 6. Varanasi: Chowkhambha Surabharati Prakashan, 2022; 294.

[5] Paradkarra Shastri S, editor (3rd ed.). With Sarvangasundara commentary of Arunadatta and Ayurvedarasayana commentary of Hemadri

on Ashtanga Hridaya of Vagbhata, Sutrasthana; Doshabhedeeya Adhyaya: Chapter 12, Verse 8-9. Varanasi: Chowkhambha Surabharati Prakashan, 2024; 205.

[6] Paradkarra Shastri S, editor (3rd ed.). With Sarvangasundara commentary of Arunadatta and Ayurvedarasayana commentary of Hemadri on Ashtanga Hridaya of Vagbhata, Sutrasthana; Doshabhedeeya Adhyaya: Chapter 11, Verse 26. Varanasi: Chowkhambha Surabharati Prakashan, 2024; 205.

[7] Acharya Trikamji Y, editor, (3rd ed.). Chakrapani Commentary on Charaka Samhita of Agnivesha, Vimana Sthana; Srotovimaniya Adhyayam: Chapter 5, Verse 8. Varanasi: Chowkhambha Surabharati Prakashan, 2022; 250

[8] Paradkarra Shastri S, editor (3rd ed.). With Sarvangasundara commentary of Arunadatta and Ayurvedarasayana commentary of Hemadri on Ashtanga Hridaya of Vagbhata, Nidanasthana; Pramehanidanam Adhyaya: Chapter 10, Verse 24. Varanasi: Chowkhambha Surabharati Prakashan, 2024; 504.