International Journal of Trend in Scientific Research and Development (IJTSRD)
Volume 10 Issue 5, Sep-Oct 2026 Available Online: www.ijtsrd.com e-ISSN: 2456 – 6470

Holistic Healing in a Dusty World: The Homoeopathic Edge

Dr. Pathikkumar Jayeshbhai Patel[1], Dr. Vipul R Shastri[2], Dr. Pankaj N Lathiya[3]

[1]B.H.M.S, M.D.(Hom), Ph.D. (Scholar) and Assistant Professor of Organon of Medicine, Vidhyadeep Homoeopathic Medical College and Research Centre, Vidhyadeep University, Anita, Kim, Surat, Gujarat, India
[2]M.D.(Hom), Ph.D. (Hom.), Ph.D. Guide, Principal/Professor/Provost of Vidhyadeep Homoeopathic Medical College and Research Centre, Vidhyadeep University, Anita, Kim, Surat, Gujarat, India
[3]M.D.(Hom), Ph.D. (Hom), HOD and Professor in Community Medicine, Research Methodology and Biostatistics, Ph.D. Coordinator, Research Coordinator, Vidhyadeep Homoeopathic Medical College and Research Centre, Vidhyadeep University, Anita, Kim, Surat, Gujarat, India

ABSTRACT

Background:

Dust allergy, frequently manifesting as allergic rhinitis and asthma, is a major and growing environmental public health problem linked to indoor and outdoor aeroallergens such as house dust mites and particulate matter.[9][10] Conventional therapies, including antihistamines, intranasal corticosteroids and allergen immunotherapy, are effective for symptom control but may be associated with adverse effects, incomplete disease control and poor long-term adherence in real-world settings.[9][8] Homoeopathy, as a component of integrative medicine, is increasingly used for allergic conditions, yet its role in dust-induced allergy remains debated.[1][8] This narrative review synthesizes clinical, observational and mechanistic evidence on homoeopathic management of dust-induced allergic rhinitis and related conditions, discusses its alignment with environmental public health principles, and highlights research gaps. Existing randomized and observational studies suggest potential benefits in symptom reduction, quality of life and medication-sparing effects in allergic rhinitis; however, evidence specific to dust allergy is limited and heterogeneous, and high-quality pragmatic trials and health-system evaluations are required before broad policy integration can be recommended.[1][3][8]

Dust allergy, a common manifestation of allergic rhinitis and hypersensitivity disorders, represents a growing environmental public health concern worldwide. Rapid urbanization, indoor air pollution, occupational exposure, and changing lifestyles have significantly increased population-level exposure to dust allergens such as house dust mites, particulate matter, and industrial pollutants. These factors contribute to chronic respiratory morbidity, impaired quality of life, reduced work productivity, and increased healthcare utilization. Conventional management strategies, including antihistamines, corticosteroids, and immunotherapy, primarily provide symptomatic relief and may be associated with adverse effects or long-term dependence. Consequently, there is an increasing global interest in integrative, evidence-based, and patient-centered approaches that emphasize safety, sustainability, and preventive care.

Objective:

This review aims to critically examine the role of integrative and evidence-based homoeopathic approaches in the management of dust allergy, with particular emphasis on their relevance and potential integration within environmental public health initiatives.

Data Sources and Methods:

A comprehensive literature search was conducted using electronic databases, including PubMed, Google Scholar, AYUSH research portals, and CCRH publications. Peer-reviewed articles, clinical trials, observational studies, systematic reviews, and authoritative reports related to dust allergy, environmental health, and homoeopathy were included. Relevant homoeopathic materia medica, repertories, and pharmacopeial sources were also reviewed to understand the therapeutic rationale of commonly indicated remedies. Emphasis was

How to cite this paper: Dr. Pathikkumar Jayeshbhai Patel | Dr. Vipul R Shastri | Dr. Pankaj N Lathiya "Holistic Healing in a Dusty World: The Homoeopathic Edge" Published in International Journal of Trend in Scientific Research and Development (ijtsrd), ISSN: 2456-6470, Volume-10 | Issue-5, October 2026, pp.493-498, URL: www.ijtsrd.com/papers/ijtsrd142251.pdf

IJTSRD142251

Copyright © 2026 by author (s) and International Journal of Trend in Scientific Research and Development Journal. This is an Open Access article distributed under the terms of the Creative Commons Attribution License (CC BY 4.0) (http://creativecommons.org/licenses/by/4.0)

placed on evidence pertaining to clinical effectiveness, safety, quality-of-life outcomes, and public health applicability.

Results:
The reviewed literature indicates that homoeopathy, when practiced using evidence-informed and individualized principles, may offer beneficial outcomes in patients with dust allergy. Several clinical and observational studies report improvement in symptom severity, reduction in frequency of allergic episodes, decreased reliance on conventional medications, and enhanced quality of life. Homoeopathic management is characterized by a favorable safety profile, making it suitable for long-term and preventive use. Integrative strategies that combine homoeopathic treatment with environmental modification, patient education, and lifestyle counseling demonstrate additional public health value by addressing both clinical symptoms and underlying environmental risk factors.

Discussion:
From a public health perspective, homoeopathy aligns with key principles of integrative medicine, including affordability, accessibility, patient-centred care, and prevention. Its potential role in community-based allergy management programs, particularly within AYUSH-led health initiatives, is noteworthy. However, heterogeneity in study designs and limited large-scale randomised controlled trials highlight the need for further high-quality research to strengthen the evidence base.

Conclusion:
Integrative and evidence-based homoeopathic approaches represent a promising complementary strategy in the management of dust allergy, with meaningful implications for environmental public health. Incorporation of homoeopathy into integrative allergy care models may contribute to sustainable, safe, and cost-effective management. Future multicentric and methodologically robust studies are recommended to support policy-level integration and broader public health application.

KEYWORDS: *Dust allergy; Homoeopathy; Integrative medicine; Evidence-based practice; Environmental health; Public health.*

I. INTRODUCTION

Allergic rhinitis and related respiratory allergies represent a common chronic disease burden, with global prevalence estimates ranging from 10–30% depending on age, region and diagnostic criteria.[9][8] House dust mite allergy is one of the most prevalent perennial triggers and is strongly associated with asthma, conjunctivitis and impaired quality of life.[10][9]

Rapid urbanization, indoor crowding, soft furnishings, limited ventilation and air pollution have increased exposure to indoor aeroallergens such as dust mites, cockroach allergens and fine particulate matter.[10][11] These exposures contribute not only to symptomatic disease but also to reduced work and school productivity and increased healthcare utilization, making dust allergy a relevant environmental public health issue.[12][9]

Conventional management includes environmental control, pharmacotherapy and allergen immunotherapy.[9][8] While many patients respond well, a sizable group experiences incomplete relief, recurrence after drug withdrawal, concerns about adverse effects, or preferences for non-conventional therapies, which has stimulated interest in complementary and integrative options such as homoeopathy.[1][8]

II. PATHOPHYSIOLOGY AND ENVIRONMENTAL CONTEXT

Dust allergy is typically mediated by IgE-dependent mechanisms in response to inhaled allergens such as Dermatophagoides pteronyssinus and Dermatophagoides farinae (dust mites), with associated Th2-skewed immune responses and eosinophilic inflammation of the nasal and bronchial mucosa.[10][9] Non-IgE mechanisms and irritant effects of particulate matter (PM2.5 and PM10) can further amplify airway hyper-responsiveness and chronic symptoms.[12][9]

Environmental determinants are central: mattress dust, carpets, upholstered furniture, high indoor humidity and inadequate ventilation promote dust mite proliferation, while urban air pollution and occupational exposures act as co-factors.[10][11] Public health recommendations emphasize allergen avoidance (encasing bedding, hot-water washing, humidity control), smoking cessation and indoor air quality improvement, though real-world implementation and effectiveness can be variable.[12][11]

Within this context, integrative strategies that combine environmental measures with patient-centred therapies, including homoeopathy, are of interest for

their potential to address both symptom burden and underlying susceptibility.[1][8]

III. CONVENTIONAL MANAGEMENT AND ITS LIMITATIONS

Standard pharmacological management includes second-generation oral antihistamines, intranasal corticosteroids, leukotriene receptor antagonists and, in selected patients, subcutaneous or sublingual allergen immunotherapy.[9][8] These interventions are supported by robust clinical trial evidence for allergic rhinitis, including dust-mite–driven disease, and are embedded in international guidelines.[9][8]

However, limitations include:

- Persistence of residual symptoms, particularly nasal congestion and sleep disturbance, in a proportion of patients despite guideline-directed therapy.[9][8]
- Local and systemic adverse effects such as nasal irritation, epistaxis, sedation or, rarely, systemic reactions with immunotherapy, which can reduce adherence.[9][8]
- Need for long-term, sometimes multi-year treatment to maintain control, which poses adherence and cost challenges in low-resource settings.[12][9]

These challenges, together with growing patient interest in non-pharmacological approaches, motivate exploration of homoeopathy as a potential adjunct or alternative in selected individuals.[1][8]

IV. METHODS OF THIS REVIEW

This paper adopts a narrative, evidence-informed review design focusing on homoeopathic management of dust-induced allergic rhinitis and closely related perennial allergic conditions. Electronic searches were performed in major databases such as PubMed, Google Scholar and specialist homoeopathic or AYUSH-linked repositories, using combinations of terms including “homeopathy”, “homoeopathy”, “allergic rhinitis”, “dust allergy”, “house dust mite”, “respiratory allergy” and “integrative medicine”.[1][2][8]

Inclusion criteria were:

- Clinical trials (randomized, quasi-experimental and controlled studies) examining homoeopathic interventions in allergic rhinitis or perennial respiratory allergy.
- Observational studies, case series and relevant systematic reviews.
- Articles in English with sufficient methodological detail and clinically relevant outcomes.

Exclusion criteria were:

- Non-systematic narrative opinions without clinical data.
- Experimental laboratory studies without clinical correlation.
- Reports lacking clear outcome measures or diagnostic criteria.

Because specific dust-allergy trials are limited, evidence from broader allergic rhinitis populations, where dust and other perennial allergens are common triggers, is also considered.[1][3][8]

V. EVIDENCE FROM CLINICAL TRIALS AND SYSTEMATIC REVIEWS

Several randomized and controlled trials have evaluated homoeopathic interventions in allergic rhinitis, though not always isolating dust allergy as a distinct entity. Early trials by Reilly and colleagues used potentized allergens (“homoeopathic immunotherapy”) and reported reductions in symptom scores and medication use in seasonal allergic rhinitis, with effects exceeding placebo in some analyses.[6][8] Subsequent replications produced mixed results, with some studies failing to confirm benefit, underscoring concerns about reproducibility and methodological limitations.[7][8]

Systematic reviews of homoeopathy for allergic rhinitis have typically identified a small number of heterogeneous trials, often with modest sample sizes, variable blinding and differing outcome measures.[3][8] A systematic review of homoeopathy in allergic rhinitis reported some positive findings but concluded that the overall quality of evidence was low to moderate, preventing firm conclusions about efficacy.[3][8]

Broader overviews of homoeopathy across multiple indications highlight that, while certain trials show effects beyond placebo, the totality of evidence does not yet provide strong, unequivocal support and that publication bias and trial quality must be considered.[5][8] Nevertheless, these data do suggest that homoeopathic interventions can be safely administered and may confer symptomatic benefit in subsets of patients with allergic rhinitis.

VI. OBSERVATIONAL STUDIES, CASE SERIES AND REVIEW-LEVEL EVIDENCE IN DUST ALLERGY

Recent narrative and integrative reviews focusing on dust-induced allergic rhinitis describe clinical experience with individualized homoeopathic prescriptions such as Arsenicum album, Allium cepa, Sabadilla, Natrum muriaticum and Sulphur, selected on constitutional and symptom-totality principles.[1] Observational cohorts and case series cited in these reviews report reductions in sneezing, nasal obstruction, rhinorrhea and associated asthma symptoms, as well as decreased reliance on

antihistamines and corticosteroids over follow-up periods of several months.[1][8]

Although such reports provide valuable practice-based evidence, they are vulnerable to selection bias, lack of controls, placebo effects and regression to the mean.[5][8] Most studies include mixed triggers (dust, pollen, mould, animal dander), which limits the ability to attribute effects specifically to dust-allergic patients.[1][8] Nonetheless, they suggest that homoeopathy can be integrated into routine care without major safety concerns and may support long-term management in real-world settings.

A recent systematic review of homoeopathic treatment in allergic rhinitis (including perennial forms) identified positive trends in symptom scores and patient-reported outcomes but again underscored the need for large, high-quality randomized trials and standardized outcome measures.[4][8]

VII. HOMOEOPATHIC THERAPEUTIC APPROACHES IN DUST ALLERGY

Homoeopathic management of dust-induced allergic rhinitis is typically individualized and grounded in classical principles such as the "law of similars", minimum dose and consideration of constitutional and miasmatic aspects.[1][8] Treatment strategies can be grouped into several categories:

Acute symptom-oriented remedies
Remedies such as Allium cepa, Sabadilla and Euphrasia are often chosen when presentations closely resemble their proving pictures, e.g., profuse watery coryza, sneezing, burning nasal discharge and eye irritation.[1]

Constitutional and miasmatic prescriptions
Remedies like Arsenicum album, Natrum muriaticum and Sulphur may be selected to address deeper susceptibility patterns, recurrent episodes and associated psychological or systemic features.[1][8]

Isopathic or allergen-based preparations
Potentized dust mite or mixed aeroallergen preparations have been used in some clinical trials as homoeopathic immunotherapy analogues, aiming to induce tolerance via repeated ultra-low-dose exposure.[6][8]

Dosing regimens and potencies vary widely across practitioners and studies, with little standardization and limited evidence to guide optimal protocols, which complicates reproducibility and guideline development.[1][8]

VIII. SAFETY PROFILE AND PATIENT ACCEPTABILITY

Homoeopathic medicines, when prepared according to pharmacopeial standards, are generally considered safe due to the high dilutions used, with adverse events infrequently reported in clinical trials and observational studies.[5][8] Most documented adverse effects are mild and transient (e.g., initial symptom aggravation), and serious toxicity is rare, especially when high-risk mother tinctures or low dilutions are avoided or used prudently.[5][8]

Studies of patient satisfaction and acceptability in integrative settings indicate that many individuals value the perceived naturalness, holistic consultation style and focus on self-regulation in homoeopathic care.[1][8] However, concerns arise when homoeopathy is used as a substitute for, rather than an adjunct to, evidence-based conventional therapy in severe asthma or high-risk allergy, where under-treatment can have serious consequences.[9][8]

IX. ALIGNMENT WITH ENVIRONMENTAL AND PUBLIC HEALTH FRAMEWORKS

From a public health standpoint, dust allergy management requires a multilevel approach that includes primary prevention (environmental control), secondary prevention (early diagnosis and treatment) and tertiary prevention (reducing complications and disability).[12][11] Homoeopathy may contribute at the secondary and tertiary levels through individualized symptom control, potential reduction in recurrence and promotion of long-term self-management, especially in primary care and community settings.[1][8]

Integrative models that combine homoeopathic treatment with structured environmental interventions—such as dust-mite avoidance, indoor air quality improvement, smoking cessation and health education—may offer synergistic benefits and align with the goals of patient-centred, cost-effective care.[12][11][1] In health systems where AYUSH or traditional medicine is formally recognized, such as India, there is scope for pilot programs incorporating homoeopathic services into school health initiatives, occupational health clinics and urban primary health centres for allergy management.[1][8]

Nevertheless, policy-level integration requires stronger evidence on comparative effectiveness, cost-utility and implementation feasibility relative to standard care alone.[5][8]

X. CRITICAL APPRAISAL OF THE EVIDENCE

A balanced appraisal of the current literature reveals several strengths and weaknesses:

➢ Strengths

- Multiple randomized and controlled trials in allergic rhinitis suggest that some homoeopathic

interventions may exert effects beyond placebo, at least in specific settings.[3][6][8]

- Observational and practice-based data suggest favourable safety and acceptability and point toward possible long-term benefits in chronic, recurrent allergic conditions.[1][8]

➢ Limitations

- Many trials have small sample sizes, short follow-up, unclear allocation concealment and incomplete reporting, limiting confidence in pooled estimates.[3][5][8]
- Heterogeneity in interventions (individualized vs standardized remedies, potency, dosing schedules) and outcome measures complicates meta-analysis and guideline development.[3][8]
- Direct evidence specifically focused on dust-induced allergic rhinitis, as distinct from mixed-trigger allergic rhinitis, is sparse and often embedded within broader allergy populations.[1][8]

Major evidence-based medicine reviews remain cautious, often concluding that current data do not provide robust, unequivocal support for homoeopathy beyond placebo for allergic conditions overall, while acknowledging the need for better research.[5][8]

XI. FUTURE RESEARCH DIRECTIONS

Key priorities for advancing the evidence base on homoeopathy in dust allergy include:

➢ Large, multicentre randomized controlled trials focusing specifically on dust-induced allergic rhinitis with well-defined diagnostic criteria and allergen characterization.[1][3]

➢ Pragmatic comparative-effectiveness studies evaluating homoeopathy as an adjunct to standard care versus standard care alone in real-world primary care and community settings.[1][8]

➢ Standardization of core outcome sets, including validated symptom scores, quality of life, medication use, absenteeism and health-economic endpoints.[3][8]

➢ Mechanistic and translational studies investigating potential immunomodulatory, neuroendocrine or placebo-context effects associated with homoeopathic treatment in allergic patients.[8]

➢ Implementation research exploring training needs, regulatory frameworks and models of collaboration between homoeopaths, allergists and public health practitioners.[1][8]

XII. CONCLUSION

Current evidence suggests that homoeopathy may offer symptomatic benefit, good tolerability and high patient acceptability in allergic rhinitis, including cases where dust and other perennial allergens are major triggers, but the overall evidence base remains limited and heterogeneous.[1][3][8] From an environmental public health perspective, integrating homoeopathic care within broader programs of allergen avoidance, indoor air quality management and patient education may be feasible and potentially valuable in certain settings, particularly where traditional medicine systems are well established.[12][11][1]

However, robust, high-quality clinical and health-services research is needed before strong recommendations can be made regarding widespread policy-level integration of homoeopathy into dust allergy management pathways. Until such evidence is available, homoeopathy is best considered as a complementary option, used alongside evidence-based conventional care, with careful attention to safety, informed consent and individual patient preferences.[5][8]

REFERENCES

[1] InformedHealth.org. Overview: Dust mite allergies. Cologne: Institute for Quality and Efficiency in Health Care; 2023.[9]

[2] National Institute of Environmental Health Sciences. Dust Mites and Cockroaches. Research Triangle Park: NIEHS; 2025.[10]

[3] American Academy of Allergy, Asthma & Immunology. Environmental control of allergic disease. Practice parameter update. [Guideline summary].[12]

[4] Asthma and Allergy Foundation of America. Control Indoor Allergens to Improve Indoor Air Quality. 2025.[11]

[5] Banerjee K, et al. Homeopathy for allergic rhinitis: protocol for a systematic review. Syst Rev. 2014; 3:142.[2]

[6] Mössinger M, et al. Homeopathy for allergic rhinitis: a systematic review. J Altern Complement Med. 2017; 23(3):191-206.[3]

[7] Krishna S. Homoeopathy in managing dust-induced allergic rhinitis. Int J Innovative Res Technol. 2023; 10(4):1-10.[1]

[8] Bellavite P, et al. Immunology and homeopathy. 4. Clinical studies—respiratory allergy. Evid Based Complement Alternat Med. 2006; 3(4):397-409.[8]

[9] Ernst E. A systematic review of systematic reviews of homeopathy. Br J Clin Pharmacol. 2002; 54(6):577-582.[5]

[10] Reilly DT, et al. Is evidence for homoeopathy reproducible? Lancet. 1994; 344(8937):1601-1606.[6]

[11] Taylor MA, et al. Homeopathy versus placebo in perennial allergic rhinitis. BMJ. 2000; 321(7259):471–476.[7]

Citations:

[1] Homoeopathy in Managing Dust-Induced Allergic Rhinitis https://ijirt.org/publishedpaper/IJIRT184525_PAPER.pdf

[2] Homeopathy for allergic rhinitis: protocol for a systematic review https://pmc.ncbi.nlm.nih.gov/articles/PMC4057901/

[3] Homeopathy for Allergic Rhinitis: A Systematic Review https://journals.sagepub.com/doi/10.1089/acm.2016.0310?int.sj-full-text.similar-articles.9

[4] Allergic rhinitis: A systematic review with ... https://www.homoeopathicjournal.com/articles/1293/8-4-18-101.pdf

[5] A systematic review of systematic reviews of homeopathy https://pmc.ncbi.nlm.nih.gov/articles/PMC1874503/

[6] Is evidence for homoeopathy reproducible? https://www.sciencedirect.com/science/article/abs/pii/S0140673694904073

[7] Homoeopathy versus placebo in perennial allergic rhinitis https://www.bmj.com/content/322/7279/169

[8] Immunology and Homeopathy. 4. Clinical Studies—Part 2 https://pmc.ncbi.nlm.nih.gov/articles/PMC1697745/

[9] Overview: Dust mite allergies – InformedHealth.org – NCBI – NIH https://www.ncbi.nlm.nih.gov/books/NBK447098/

[10] Dust Mites and Cockroaches https://www.niehs.nih.gov/health/topics/agents/allergens/dustmites

[11] Control Indoor Allergens to Improve Indoor Air Quality https://aafa.org/allergies/prevent-allergies/control-indoor-allergens/

[12] Environmental Control of Allergic Diseases https://www.aafp.org/pubs/afp/issues/2002/0801/p421.pdf

International Journal of Trend in Scientific Research and Development IJTSRD ISSN: 2456-6470