

# Shadow Detection and Removal using Tricolor Attenuation Model Based on Feature Descriptor

Rakesh Dangi<sup>1</sup>, Anjana Nigam<sup>2</sup>

<sup>1</sup>PG Scholar, <sup>2</sup>Assistant Professor

<sup>1,2</sup>Department of CSE, SIRT, Bhopal, Madhya Pradesh, India

**How to cite this paper:** Rakesh Dangi | Anjana Nigam "Shadow Detection and Removal using Tricolor Attenuation Model Based on Feature Descriptor" Published in International Journal of Trend in Scientific Research and Development (ijtsrd), ISSN: 2456-6470, Volume-3 | Issue-4, June 2019, pp.1268-1272, URL: <https://www.ijtsrd.com/papers/ijtsrd25127.pdf>



IJTSRD25127

Copyright © 2019 by author(s) and International Journal of Trend in Scientific Research and Development Journal. This is an Open Access article distributed under the terms of the Creative Commons Attribution License (CC BY 4.0) (<http://creativecommons.org/licenses/by/4.0>)



## ABSTRACT

Presently present TAM-FD, a novel expansion of tricolor constriction model custom fitted for the difficult issue of shadow identification in pictures. Past strategies for shadow discovery center on learning the neighborhood appearance of shadow areas, while utilizing restricted nearby setting thinking as pairwise possibilities in a Conditional Random Field. Interestingly, the proposed methodology can display more elevated amount connections and worldwide scene attributes. We train a shadow locator that relates to the generator of a restrictive TAM, and expand its shadow precision by consolidating the run of the mill TAM misfortune with an information misfortune term utilizing highlight descriptor.

Shadows happen when articles impede direct light from a wellspring of enlightenment, which is generally the sun. As indicated by the rule of arrangement, shadows can be separated into cast shadow and self-shadow. Cast shadow is planned by the projection of articles toward the light source; self shadow alludes to the piece of the item that isn't enlightened. For a cast shadow, the piece of it where direct light is totally hindered by an article is named the umbra, while the part where direct light is mostly blocked is named the obscuration. On account of the presence of an obscuration, there won't be an unequivocal limit among shadowed and non shadowed regions the shadows cause incomplete or all out loss of radiometric data in the influenced zones, and therefore, they make errands like picture elucidation, object identification and acknowledgment, and change recognition progressively troublesome or even inconceivable. SDI record improves by 1.76%. Shading segment record for safeguard shading difference during evacuation of shadow procedure is improved by 9.75%. Standardize immersion esteem discovery file (NSVDI) is improve by 1.89% for distinguish shadow pixel.

**Keywords:** Shadow Detection, TAM, TAM-FD, Cast Shadow, SDI, NSVDI

## 1. INTRODUCTION

Satellite imaging for the perception of Earth has capacity to get high-goals information, went from 0.5 to 2 m in the panchromatic band. Without a doubt, high-goals pictures display more detail data to expand the item arranged application potential, e.g., a structure precise area, itemized include extraction, and 3D recreation [1], [2]. Sadly, most high-goals satellite pictures contain shadows as undesired data in urban zones, which unequivocally influence the translation of satellite pictures. The shadows cause the fractional or all out misfortune brilliance data, especially that of blocked articles by the enormous shadow. All things considered, the articles in the shadow districts are hard to be extricated for further applications. Along these lines, so as to reestablish darkened articles, shadow recognition and shadow evacuation is a basic preprocessing venture of urban high-goals remote detecting pictures. Numerous successful calculations of shadow evacuation have been proposed for normal pictures or remote detecting multispectral pictures. Be that as it may, there is an extraordinary absence of shadow expulsion strategy for panchromatic symbolism,

while the panchromatic pictures ordinarily can give all the more high goals to be valuable for the utilization of items in the satellite sensors. With the end goal of the data recuperation of clouded articles, we plan to investigate the attributes of shadows and items in the panchromatic pictures of urban regions and evacuate the shadows to get without shadow pictures.

## 2. Related Work

[1] **Tomas F. Yago Vicente et. al**, The goal of this work is to distinguish shadows in pictures. We represent this as the issue of marking picture locales, where every district relates to a gathering of super pixels. To foresee the mark of every locale, we train a portion Least-Squares Support Vector Machine (LSSVM) for isolating shadow and non-shadow areas. The parameters of the part and the classifier are mutually figured out how to limit the forget one cross approval blunder. Upgrading the forget one cross approval mistake is regularly trouble-some, however it tends to be done productively in our system. Examinations on two

testing shadow datasets, UCF and UIUC, demonstrate that our area classifier beats increasingly complex strategies.

**[2] Vu Nguyen et. al,** We present scGAN, a novel expansion of restrictive Generative Adversarial Networks (GAN) custom-made for the difficult issue of shadow discovery in pictures. Past strategies for shadow location center around learning the neighborhood appearance of shadow districts, while utilizing constrained nearby setting thinking as pairwise possibilities in a Conditional Random Field. Interestingly, the proposed antagonistic methodology can show more elevated amount connections and worldwide scene qualities.

**[3] Yasser Mostafa et. al,** High-goals satellite pictures contain an immense measure of data. Shadows in such pictures produce genuine issues in characterizing and extricating the required data. In spite of the fact that sign recorded in shadow region are powerless, it is as yet conceivable to recoup them. Noteworthy work is now done in shadow recognition course be that as it may, grouping shadow pixels from vegetation pixels accurately is as yet an issue as dull vegetation territories are still misclassified as shadow at times. In this letter, another picture list is produced for shadow recognition utilizing different groups. Shadow pixels are arranged from the list histogram by a programmed edge recognizable proof methodology.

**[4] Jiayuan Li et. al,** Shadows, which are thrown by mists, trees, and structures, debase the precision of numerous undertakings in remote detecting, for example, picture arrangement, change identification, object acknowledgment and so forth. In this paper, we address the issue of shadow location for complex scenes. Dissimilar to customary strategies which just use pixel data, our strategy joins model and perception signals.

**[5] Nan Su et. al,** The presence of shadows in high-goals panchromatic satellite pictures can impede a few articles to cause the decrease or loss of their data, especially in urban scenes. To recoup the impeded data of articles, shadow evacuation is a huge preparing technique for the picture understanding and application. In this paper, we propose a novel system of shadow identification and expulsion for panchromatic satellite pictures to reestablish the clouded article data.

**[6] Huihui et. al,** The shadows in high-goals satellite pictures are normally brought about by the imperatives of imaging conditions and the presence of tall structure items, and this is especially so in urban territories. To lighten the shadow impacts in high-goals pictures for their further applications, this paper proposes a novel shadow identification calculation dependent on the morphological sifting and a novel shadow reproduction calculation dependent on the precedent learning technique.

**[7] Chunxia Xiao et. al,** In this paper, we present another strategy for expelling shadows from pictures. To begin with, shadows are distinguished by intelligent brushing helped with a Gaussian Mixture Model. Second, the recognized shadows are evacuated utilizing a versatile brightening move approach that records for the reflectance variety of the picture surface. The complexity and clamor dimensions of the outcome are then improved with a multi-scale brightening move procedure. At long last, any noticeable shadow limits in the picture can be wiped out dependent on

our Bayesian structure. We likewise stretch out our strategy to video information and accomplish transiently reliable shadow free outcomes. We demonstrate that our technique is quick and can produce acceptable outcomes for pictures with complex shadows.

### 3. Methodology

The calculation of proposed technique TAM-FD(Tricolor Attenuation Model with Feature Descriptor) is as per the following:

Stage 1: To changes the first picture shading picture I into the dim picture J by following equation:

$$J = \log \left( \frac{\max[I_R I_G I_B]}{\min[I_R I_G I_B] + 1} \right)$$

Stage 2: To section J into sub-locales with comparative shading by the outstanding watershed calculation, that is,

$J = \cup J^i$ , where  $J^i \cap J^j = \emptyset$  if  $i \neq j$ , and I is the segmented region number.

Stage 3: For every locale, to figure mean estimation of pixel by

$$\left[ I_R^i I_G^i I_B^i \right] = \frac{1}{M} \left( \sum_{k=1,2,\dots,M} [I_R^{i,k} I_G^{i,k} I_B^{i,k}] \right)$$

Where, it means the pixel in the district of I in R area.

Stage 4: Now we discover the SIFT descriptors of each source picture of cell cluster for pictures of picture dataset. Filter strategy play out the accompanying grouping of ventures for discover the keypoint descriptors for surface component.

Scale-Space Extreme Detection: The underlying advance of assessment discovers all out all scale-space and distinctive picture zone in picture dataset hubs [4]. It is totally apply adequately by utilizing a Difference-of-Gaussian (DoG) mapping to speaks to potential intrigue keypoints of highlight descriptors which are scale invariant and direction in picture dataset hubs [6].

Keypoints Localization: All hopeful region of picture in chosen ROI (Region of Interest), a point by point model is fit to investigate keypoints territory and its scale-space [5]. Keypoints of picture territory in picture ROI are picks premise on figure of existing steadiness [6].

Direction Assignment: at least one directions undertaking are connected to each keypoints territory dependent on nearby picture information hubs angle bearings [2]. Every single future picture activities are actualized on picture keypoint dataset which has been changed in respect to the connected direction, scale, and area for each element descriptor, subsequently giving invariance to these changes in picture information hubs.

Keypoints Descriptor: The neighborhood picture slopes worth are estimated at the pick scale-space in the Region of Interest (ROI) around all keypoints in picture dataset focuses [4]. These are changed into an introduction that licenses for critical dimensions of neighborhood shape, area and direction and changes in brightening of picture dataset focuses [6].

Stage 4: Above advance are perform in rehashed structure, at that point all the descriptor of pictures are store, Now apply Guided Filtering strategy for getting combined picture.

Stage 5: To compute the mean estimation of

$$[I_{NS_R}^i I_{NS_G}^i I_{NS_B}^i]$$

$$\overline{[I_R I_G I_B]} = \frac{1}{M} \left( \sum_{k \in I^i}^{k=1 \dots M} I_R^{i,k} I_G^{i,k} I_B^{i,k} \right)$$

$[\Delta R \Delta G \Delta B]$  is determined by  $I_{NS_R} / I_{NS_B}$  and  $I_{NS_G} / I_{NS_B}$

We take pixels whose qualities are bigger than the mean estimation of area as the shadow foundation in the progression. At that point determined as

$$\overline{[m.I_{NS_R}^i / I_{NS_B}^i \ n.I_{NS_G}^i / I_{NS_B}^i \ 1]}$$

Stage 6: To subtract the base channel from the greatest one.

If  $m.I_{NS_R}^i / I_{NS_B}^i > n.I_{NS_G}^i / I_{NS_B}^i > 1$  in  $F^i$ , we get

$$X^i = I_R^i - I_B^i$$

Stage 7: To binarize  $X^i$

$$T = \frac{1}{M} \left( \sum_{k \in X^i}^{k=1 \dots M} X_k^i \right)$$

Where M is the quantity of pixels in locale I, An underlying shadow result in Ii can be gotten by

$$S^i = \{(x, y) | (x, y) \in I^i, X^i(x, y) < T\}$$

Stage 8: To check the shadow. Shadows gotten in each sub-locale may not be genuine ones because of false location. Signifying S as the shadow area in I, S is introduced by the primary  $S^i$  gotten by equation formula

$$S = \begin{cases} S \cup S^i \text{ if } \overline{I_{[RGB]}^{NS^i}} - \overline{I_{[RGB]}^{S^i}} \in [k_1.L k_2.L] \\ S \text{ if } \overline{I_{[RGB]}^{NS^i}} - \overline{I_{[RGB]}^{S^i}} \notin [k_1.L k_2.L] \end{cases}$$

Where  $L = \overline{[m.I_R^{NS^i} / I_B^{NS^i} \ n.I_G^{NS^i} / I_B^{NS^i} \ 1]} . \Delta B$ ,

the coefficients  $k_1$  and  $k_2$  are empirically set to 0.8 and 1.2, respectively.

Stage 9: To get precise limits of shadows. Shadows identified by past advances depend on the subtractive picture X. Be that as it may, subtractive activity obscured picture X in view of high relationship among R, G and B segments. This may cause wrong limits of shadows. The obscured data of X can be recaptured from the first picture in each channel. The final result of detected shadows is denoted as  $I_{[RGB]}^i(x, y)$  denotes the tricolor vector at location (x, y) in ith region of original image I

$$\text{shadow} = \{(x, y) | S(x, y) \cap I_{[RGB]}^i(x, y) < \overline{[I_R^i I_G^i I_B^i]}\}$$

#### 4. Result and Analysis

The proposed programmed shadow recognition and pay calculations were executed in MATLAB programs under Microsoft Windows 10 condition. We chose the satellite picture of Houston/Texas of USA to test the calculations depicted in the past part.

Presently portray the strategies for shadow identification and pay in high goals satellite picture dependent on the Tricolor Attenuation Model with Feature Descriptor calculation. The properties of highlight descriptor give us a prompt to identify and expel shadows. So we use TAM (Tricolor Attenuation Model) change to change the information direct RGB picture into a different shading differences portrayal. The histogram limit method is utilized to identify shadow locales in RGB channel, and the other two chrominance channels are unaltered. Rather than applying Retinex on R, G, B channels, the proposed strategy is utilized to improve the picture just in luminance channel to make up for shadows after shadow recognition.




Figure 1: Snapshot of input sample shadow image




Figure 2: Snapshot of output non-shadow image





Figure 3: Snapshot of value of parameters

**Table 1: SDI analysis in between of ATI-LC[1] and TAM-FD(Proposed)**

Images	ATI-LC[1]	TAM-FD(Proposed)
A	97.08	98.79
B	91.51	95.34
C	96.10	98.31
D	84.62	87.77




**Figure 4: Graphical analysis of SDI in between of ATI-LC[1] and TAM-FD(Proposed)**

In above figure and table are shows that shadow detection index is improve significantly for difference, hence observation non-shadow image much more effective then ATI-LC[1] (Automatic Threshold Identification with Linear Correlation).

**Table 2: C<sub>3</sub>\* analysis in between of ATI-LC[1] and TAM-FD(Proposed)**

Images	ATI-LC[1]	TAM-FD(Proposed)
A	81.92	89.91
B	75.67	83.71
C	89.84	96.14
D	58.91	62.11




**Figure 5: Graphical analysis of C<sub>3</sub>\* in between of ATI-LC[1] and TAM-FD(Proposed)**

In above figure and table are shows that color index is improve significantly for difference, hence observation non-shadow image much more effective then ATI-LC[1] (Automatic Threshold Identification with Linear Correlation).

**Table 3: NSVDI analysis in between of ATI-LC[1] and TAM-FD(Proposed)**

Images	ATI-LC[1]	TAM-FD(Proposed)
A	96.93	98.77
B	82.78	86.91
C	96.78	98.13
D	94.48	97.83



**Figure 6: Graphical analysis of NSVDI in between of ATI-LC[1] and TAM-FD(Proposed)**

In above figure and table are shows that NSVDI is improve significantly for difference, hence observation non-shadow image much more effective then ATI-LC[1] (Automatic Threshold Identification with Linear Correlation).

By correlation of the first picture, the upgraded picture and the shadow location picture, every one of the pixels in shadow locales of the first picture are supplanted by improved picture utilizing TAM-FD. Investigation results demonstrate that the technique is viable and offers the accompanying advantages:

1. The technique can recognize the greenish articles from shadows, and the state of the portioned shadows is protected well including the exiguous shadow locales.
2. The strategy can improve the perceivability of highlights in shadowed districts while holding non-shadowed areas unaffected. In any case, the normal tint of shadowed areas should be improved.

### 5. Conclusion

In view of the investigation of the properties of shadows, a handy technique that joins model and perception signals for exact shadow identification is proposed in this paper. In view of the first splendid channel earlier, we present another earlier for the shadow identification task. We additionally use NIR channel data (if the NIR channel is accessible) to recognize dim articles from shadows. Our technique is reasonable for both regular pictures and remote detecting pictures. Regardless of the effortlessness of the proposed strategy, high discovery exactness can be accomplished with no post-preparing stage. We approve the adequacy of the proposed splendid channel earlier and the perception prompts. Contrasted and the cutting edge strategies, our technique exhibited better precision and delivered shadow covers that are a lot nearer to the ground truth maps. Besides, the productivity of our strategy is likewise incredibly high, which is a significant factor for designing applications.

- SDI record improves by 1.76%.
- Color segment list for save shading change during expulsion of shadow procedure is improved by 9.75%.
- Normalize immersion esteem recognition file is improve by 1.89% for recognize shadow pixel.

Besides, we propose another classifier to consequently recognize reasonable sets of lit-shadow districts. We exhibited that the iterative utilization of the proposed change in decidedly grouped sets of locales beats the cutting edge on the shadow evacuation benchmark dataset. Our outcomes are particularly precise in the center pixels of the shadow districts.

## 6. References

- [1] Tomas F. Yago Vicente , Minh Hoai and Dimitris Samaras, "Leave-One-Out Kernel Optimization for Shadow Detection and Removal", IEEE Transactions on Pattern Analysis and Machine Intelligence, Vol. 40, No. 3, March 2018.
- [2] Vu Nguyen, Tomas F. Yago Vicente, Maozheng Zhao, Minh Hoai and Dimitris Samaras, "Shadow Detection with Conditional Generative Adversarial Networks", IEEE International Conference on Computer Vision, 2017.
- [3] Yasser Mostafa and Ahmed Abdelhafiz, "Accurate Shadow Detection from High-Resolution Satellite Images", IEEE Geo Science and Remote Sensing Letters, Vol. 14, No. 4, April 2017.
- [4] Jiayuan Li, Qingwu Hu and Mingyao Ai, "Joint Model and Observation Cues for Single-Image Shadow Detection", MDPI Journal of Remote Sensing, 2016.
- [5] Nan Su, Ye Zhang, Shu Tian, Yiming Yan and Xinyuan Miao, "Shadow Detection and Removal for Occluded Object Information Recovery in Urban High-Resolution Panchromatic Satellite Images", IEEE Journal of Selected Topics in Applied Earth Observations And Remote Sensing, Vol. 9, No. 6, June 2016.
- [6] Huihui Song, Bo Huang, Associate Member, IEEE, and Kaihua Zhang, "Shadow Detection and Reconstruction in High-Resolution Satellite Images via Morphological Filtering and Example-Based Learning", IEEE Transactions on Geoscience and Remote Sensing, 2014.
- [7] Chunxia Xiao, Ruiyun She, Donglin Xiao and Kwan-Liu Ma, "Fast Shadow Removal Using Adaptive Multi-scale Illumination Transfer", COMPUTER GRAPHICS forum, 2013.
- [8] Tomás F. Yago Vicente, Chen-Ping Yu, Dimitris Samaras, "Single Image Shadow Detection using Multiple Cues in a Supermodular MRF", IEEE Access Journal, 2013.
- [9] Guangyao DUAN, Huili GONG, Wenji ZHAO, Xinming TANG, Beibei CHEN, "An Index-Based Shadow Extraction Approach On High-Resolution Images", Springer Journal of Image Processing, 2013.
- [10] Jiu-Lun Fan, Bo Lei, "A modified valley-emphasis method for automatic thresholding", Elsevier Journal of Pattern Recognition, 2012.
- [11] Q. YE, H. XIE, Q. XU, "Removing Shadows from High-Resolution Urban Aerial Images Based on Color Constancy", International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences, Volume XXXIX-B3, 2012.
- [12] Jiejie Zhu, Kegan G.G. Samuel, Syed Z. Masood, Marshall F. Tappen, "Learning to Recognize Shadows in Monochromatic Natural Images", IEEE Journal of Image Processing, 2010.
- [13] Wen Liu and Fumio Yamazaki, "Shadow Extraction and Correction from Quickbird Images", IGARSS, 2010.
- [14] Lu Wang and Nelson H. C. Yung, "Extraction of Moving Objects From Their Background Based on Multiple Adaptive Thresholds and Boundary Evaluation", IEEE Transactions on Intelligent Transportation Systems, Vol. 11, No. 1, March 2010.
- [15] Fumio Yamazaki, Wen Liu and Makiko Takasaki, "Characteristics of Shadow And Removal of Its Effects for Remote Sensing Imagery", IGARSS, 2009.
- [16] Huaiying Xia, Xinyu Chen, Ping Guo, "A Shadow Detection Method for Remote Sensing Images Using Affinity Propagation Algorithm", IEEE International Conference on Systems, Man, and Cybernetics, 2009.