# Efficacy of Lesser Known Homoeopathic Medicine in the Treatment of Menorrhagia: A Case Report of Aletris Farinosa

Dr. Munjal Thakkar, Dr. Divya Gamit

Jawaharlal Nehru Homoeopathic Medical College, Parul University, Limda Village, Waghodia, Vadodara, Gujarat, India

#### **ABSTRACT**

There are wide ranges of homoeopathic medicine for menorrhagia but lesser known medicine selected on the basis of uncommon, peculiar, rare symptoms. Lesser known medicine which is not used in day to day clinical practice because this medicine had few symptoms recorded through drug proving. This medicine is indicated towards a few specific conditions. Many homoeopaths in our fraternity are not aware of this lesser known medicine due to lack in literature and clinical use [1]. This study is to search for lesser known medicine as present our materia medica.

KEYWORDS: Lesser known, menorrhagia, Aletris farinosa

How to cite this paper: Dr. Munjal Thakkar | Dr. Divya Gamit "Efficacy of Lesser Known Homoeopathic Medicine in the Treatment of Menorrhagia: A Case Report of Aletris Farinosa"

Published in International Journal of Trend in Scientific Research and Development (ijtsrd), ISSN: 2456-6470,

□ S CON. IJTSRD61242

Volume-7 | Issue-6,

December 2023, pp.534-537, URL: www.ijtsrd.com/papers/ijtsrd61242.pdf

Copyright © 2023 by author (s) and International Journal of Trend in Scientific Research and Development

Journal. This is an Open Access article distributed under the



terms of the Creative Commons Attribution License (CC BY 4.0) (http://creativecommons.org/licenses/by/4.0)

## IJTSRD

International Journal of Trend in Scientific Research and Development

ISSN: 2456-6470

#### INTRODUCTION

Menorrhagia is cyclic bleeding at normal interval; the bleeding is either excessive in amount (>80) or duration or both <sup>[2]</sup>. Reports suggest that only 10% of these women have blood loss that is severe enough to produce anemia or being clinically characterized as menorrhagia, despite the fact that "The global health organization estimated that 18 million women of 30-55 year perceive their monthly bleeding to be excessive<sup>[3]</sup>. According to International journal of health science published in 2019, prevalence of menorrhagia 15.9% <sup>[4]</sup> Homoeopathic medicines are useful in menorrhagia, as a lesser known medicine Aletris farinosa more effective in Menorrhagia.

List of lesser known medicine for menorrhagia [5.6]: Numerous medicine are available in homoeopathy for menorrhagia, they are administered on the basis of symptoms similarity. The following less common treatments have been shown to be effective when used either with all symptoms or only some of them. Just handful symptoms are indicated by these remedies and their renown derives from their

presentation in materia medica. This is due to their paucity of symptoms.in such lesser known homoeopathic medicine for menorrhagia described below.

- ➤ Aletris farinosa: marked anemia, relaxed condition, especially of the female organism is portrayed by this remedy. The patient is tired all the time. Premature and profuse menses with labour like pain. Uterus seems heavy.
- ➤ Cinnamonum ceylanicum: menses early profuse, prolong, bright red. Sleepiness marked. no desire for anything. Uterine hemorrhage, menorrhagia caused by over lifting.
- ➤ Ustilago maydis: vicarious menstruation; profuse menses; discharge of blood from slightest provocation; bright red partly clotted. Menorrhagia at climaxis. Oozing of dark blood, clotted, forming long black strings.
- ➤ Thlaspi bursa pastoris: too frequent and copious menses. Hemorrhage with violent colic. Every

alternate period very profuse. Scarcely recovers from one period before another begins.

- ➤ Menispernum: copious bleeding during menses; patient becomes extremely weak due to excessive bleeding; blood ooze out of the uterus and the hemorrhage gets worse from or during movement; Colour of blood is bright red and it is clotted; copious bleeding; pain in lower abdomen.
- ➤ **Millefolium:** menses early profuse, protracted. Hemorrhage from uterus; bright red fluid.
- ➤ Erigeron: Hemorrhages are caused and cured by this remedy. Persistent hemorrhage from uterus profuse bright red blood. Bloody discharge on slight exertion.
- ➤ **Geranium maculatum:** Habitual sick headaches. Profuse bleeding. Menses too profuse.
- Arenea diadema: menses too early, too copious. Distention of abdomen. Lumbo-abdominal neuralgia.
- ➤ Kali nitricum: menses too early, profuse, black; preceded with violent backache.
- ➤ Natrum chloratum: violent metrorrhagia. Feeling as if uterus were pushed up on sitting down feel as if it opened and shut. Passive, bearing —down from heavy condition of uterus. Congested and atonic states of the uterus and its ligament.
- ➤ Helonius: menses too frequent, too profuse. The menses are often suppressed and the kidney congested.
- Vinca minor: excessive menstruation with great weakness. Passive uterine hemorrhages. Menorrhagia; continuous flow, particularly ate climacteric. Hemorrhage from fibroids.
- > Xanthoxylum: menses too early and painful, menses thick, almost black, ovarian neuralgia.

- With pain in loin and lower abdomen; worse left side, extending down the thigh.
- > Senecio aureus: menorrhagia, copious flow continues until she become anemic.
- Fraxinus Americana: enlargement of uterus, fibrous growth, subinvolution and prolapse. Heavy uterine bleeding with bearing down sensation; worse in afternoon, night.

#### Case report

A female patient of age 38 years came in OPD on 19<sup>th</sup> September 2022.she had complain of early profuse menses since 6 months. Menses profuse, black, clots with labour like pain, heaviness in pelvic region and complains worse when walking and morning and better by lying down. Also complain of occipital headache which worse in morning and weakness.

**History of presenting complaints:** the patient was no complaining regarding menses before 6 month. Complain of early profuse menses started since 6 month. She had taken allopathic medication but no relief.

**Associating complaint:** involuntary urination <a href="coughing">coughing</a>, sneezing

**Past history:** Hypothyroidism 5 years ago, treated with homoeopathic medicine.

**Family history:** Mother-hypertension taken allopathic medication, Father –died in accident

**Personal history:** Appetite –diminished, Desirespicy, Aversion-sweet, Urine-involuntary, Bowel-unsatisfactory stool, stool hard and must be strain.

#### **Gynec/Obs history**

LMP-1/9/2023 Menses-early, profuse Duration- 5-6 days

Character of blood- bark clotted G2P2A0L2

#### **Menstrual assessment chart:**

This menstrual assessment chart used for assess menstruation [7].

DAY	1	2	3	4	5	6	7	8	9	10	11	12
Pads												
Lightly soaked						I						
Moderately soaked	III			II	II							
Heavily soaked		III	III									
Clots (small or large)		X5	X1	X1								
Tampons												
Lightly soaked Moderately soaked												
Moderately soaked												
Heavily soaked												
Clots(small or large)												
Score	15	65	61	11	10	1						163

## **Classification of symptoms:**

## Physical general:

- > Appetite-diminished
- Desire-spices

## Physical particular:

- ➤ Menses early, profuse
- Menses dark, clotted
- **➤** <Morning
- >Lying down
- ➤ Labour like pain during menses
- > Heaviness in pelvic region
- > Pain in occiput region
- Weakness
- > Unsatisfactory stool
- > Stool hard must be strain
- ➤ Urine involuntary
- Coughing, sneezing

## **Totality of symptoms:**

- Menses early, profuse and dark clotted
- > <Morning,
- Lying down
- > Heaviness in pelvic region
- ➤ Pain in occiput
- **➤** <Morning
- Weakness
- > Involuntary urination
- Coughing, sneezing
- > Appetite diminished
- Unsatisfactory stool

## **Prescription:**

- ➤ Aletris farinosa Q 10 drops ½ cup of water TDS for 7 days.
- Sac.lac 4 TDS for 15 days.

#### Follow up

Date	Complain	Prescription
4/10/22	Menses appear on 30/9/22 Menses duration 6 days Menses flow better Clotted blood present Heaviness in pelvic region decreased Occiput pain slight better Weakness better Appetite improved Involuntary urination slight better	Aletris farinosa Q 10 drops ½ cup of water TDS for 7 days Sac.lac 4 TDS for15 days
20/10/22	Occiput pain better Weakness better Appetite increased Involuntary Urination improved	Aletris farinosa Q 10 drops ½ cup of water TDS for 7 days Sac.lac 4 TDS for 15 days
7/11/22	Menses-1/11/22 Menses duration-5 days Menses flow better Clotted blood less Heaviness in pelvic region not present Occiput pain not present	Aletris farinosa Q 10 drops ½ cup of water TDS for 7 days Sac.lac 4 TDS for15 days

IJTSRD
International Journal
of Trend in Scientific
Research and
Development

	Weakness also better					
	Appetite increased					
	Involuntary urination improved					
24/11/22	Sometime feeling of weakness	Aletris farinosa Q 10 drops ½ cup of water TDS for 7 days Sac.lac 4 TDS for15 days				
	Occiput pain slight present					
	Appetite increased					
	Involuntary urination better	3ac.lac 4 1D3 10113 days				
	Menses -1/12/22					
12/12/22	Menses duration -4to 5 days					
	Menses flow normal	Rubrum 30 OD for 3 days				
	Clotted blood 1-2 day only and less	Rublulli 30 OD for 3 days				
	Weakness not present	Sac.lac 4 TDS fo1 month				
	Occiput pain not present	Sac.lac 4 1DS 101 month				
	Involuntary urination some time					
	Menses -1/1/23					
	Menses duration-4 days	Aletris farinosa 30 2 dose OD for 2				
12/1/23	Heaviness in pelvic region present 2 days during menses	days				
	Menses flow normal	Sac.lac for 4TDS for 1 month				
	Clotted blood not present					
14/2/23	Menses -1/2/23					
	Duration of menses 4 days	Rubrum 2 dose OD for 2 days Sac.lac 4TDS for 1 month				
	Menses flow normal					
	Clotted blood not present	Sac.rac 41DS for 1 month				
	Heaviness of pelvic region not present	V)				
13/3/23	Menses -1/3/23					
	Menses duration 4 days	Sac.lac 4 TDS for 1 month				
	Menses flow normal	w X				

## Before and after menstrual assessment score for menstruation:

To the state of the second territories and terri	y- )
Before treatment menstrual assessment score	163
After treatment menstrual assessment score	50

Conclusion: menorrhagia has effect on women quality of life due to excess blood loss. Although homoeopathic prescription based on totality of symptoms, but it has been that some acute condition of disease required medicine having organ affinity to relieve. This above description of lesser known homoeopathic medicine tremendous result in cases of menorrhagia, as above mention case report show effectiveness of Aletris farinosa as a lesser known Homoeopathic medicine in the treatment of menorrhagia.

#### **References:**

- [1] "Lesser known medicine in Homoeopathy-a literary review" homeopathy360 (2019, may 20). Retrieved December 30, 2022, from https://www.homeopathy360.com/2019/05/20/l esser-known-medicine-in-homoeopathy-a-literary-review/
- [2] Dutta. D C; Text Book of Gynecology; fifth edition; New central book agency(p)ltd; 2008; page no.181
- [3] Liu Z, Doan QV, Blumenthal P, Dubois RW.A systematic review evaluating health-related

- quality of life, work impairment, and health-care costs and utilization in abnormal uterine bleeding; Value Health. 2007 May-Jun; 10(3):183-94. [PubMed]
- [4] Sonal kulshrestha; prevalence of menstrual disorders and their association with physical activity in adolescent girls; ijhsr; vol.9; issue: 8; august2019; page no.384
- [5] Boericke William; Pocket manual of Homoeopathic Materia Medica & Repertory; (ninth edition revised and enlarged with the edition of a repertory by Oscar E. Boericke; new Delhi; B. Jain Publisher (p) ltd.;2002;
- [6] Hering c; the guiding symptoms of our materia medica; New Delhi; B.Jain publisher pvt.. ltd; 1995
- [7] Jenny M. HIGHAM, P. M. S O'BRIEN, R. W. SHAW, Assessment of menstrual blood loss using a pictorial chart, British journal of obstetrics and Gynecology, August1990, vol.97, pp.734-739